

# CHANGING ROOM FURNITURE

SPECIAL EQUIPMENT



---

# CUPBOARD FOR SHOES

## COMPONENTS' DESCRIPTION

- **Main body** made of sturdy 0.8-1.0 mm powder painted sheet steel or upon request, stainless steel, the structure has no non-leveled ends, open corners or non-finished overlapping joints.
- Doors made of 0.8-1.0 mm powder painted sheet steel or upon request, stainless steel complete with magnetic closure, knob, nameplate and ventilation window.



# TECHNICAL DATA

Code	Overall dimensions mm	Work area dimensions mm	Places no.
	L1xP1xH1	L2xP2xH2	
APC51	255x450x855	178x330x129	5
APC52	467x450x855	178x330x129	10
APC53	679x450x855	178x330x129	15
APC54	891x450x855	178x330x129	20
APC55	1103x450x855	178x330x129	25
APC56	1315x450x855	178x330x129	30
APC57	1527x450x855	178x330x129	35
APC58	1739x450x855	178x330x129	40
APC61	255x450x1001	178x330x129	6
APC62	467x450x1001	178x330x129	12
APC63	679x450x1001	178x330x129	18
APC64	891x450x1001	178x330x129	24
APC65	1103x450x1001	178x330x129	30
APC66	1315x450x1001	178x330x129	36
APC67	1527x450x1001	178x330x129	42
APC68	1739x450x1001	178x330x129	48
APC71	255x450x1147	178x330x129	7
APC72	467x450x1147	178x330x129	14
APC73	679x450x1147	178x330x129	21
APC74	891x450x1147	178x330x129	28
APC75	1103x450x1147	178x330x129	35
APC76	1315x450x1147	178x330x129	42
APC77	1527x450x1147	178x330x129	49
APC78	1739x450x1147	178x330x129	56
APC81	255x450x1293	178x330x129	8
APC82	467x450x1293	178x330x129	16
APC83	679x450x1293	178x330x129	24
APC84	891x450x1293	178x330x129	32
APC85	1103x450x1293	178x330x129	40
APC86	1315x450x1293	178x330x129	48
APC87	1527x450x1293	178x330x129	56
APC88	1739x450x1293	178x330x129	64
APC91	255x450x1439	178x330x129	9
APC92	467x450x1439	178x330x129	18
APC93	679x450x1439	178x330x129	27
APC94	891x450x1439	178x330x129	36
APC95	1103x450x1439	178x330x129	45
APC96	1315x450x1439	178x330x129	54
APC97	1527x450x1439	178x330x129	63
APC98	1739x450x1439	178x330x129	72
APC101	255x450x1585	178x330x129	10
APC102	467x450x1585	178x330x129	20
APC103	679x450x1585	178x330x129	30
APC104	891x450x1585	178x330x129	40
APC105	1103x450x1585	178x330x129	50
APC106	1315x450x1585	178x330x129	60
APC107	1527x450x1585	178x330x129	70
APC108	1739x450x1585	178x330x129	80
APC111	255x450x1731	178x330x129	11
APC112	467x450x1731	178x330x129	22
APC113	679x450x1731	178x330x129	33
APC114	891x450x1731	178x330x129	44
APC115	1103x450x1731	178x330x129	55
APC116	1315x450x1731	178x330x129	66
APC117	1527x450x1731	178x330x129	77
APC118	1739x450x1731	178x330x129	88
APC121	255x450x1877	178x330x129	12
APC122	467x450x1877	178x330x129	24
APC123	679x450x1877	178x330x129	36
APC124	891x450x1877	178x330x129	48
APC125	1103x450x1877	178x330x129	60
APC126	1315x450x1877	178x330x129	72
APC127	1527x450x1877	178x330x129	84
APC127	1739x450x1877	178x330x129	96

# CUPBOARD FOR OVERALLS AND SHOES

## COMPONENTS' DESCRIPTION

- **Main body** made of sturdy painted sheet steel.
- Compartment **doors** of sliding type gowns, made of painted sheet steel, complete with handles
- **Filter Fan Unit** autonomous in the AIR-1-HT series, with a soundproofed anodized aluminium structure with mineral wool panels and radial fan, with backward curved impeller blades, aluminium structure directly connected to the EC electric motor.
- **Absolute filter**, with low pressure drop, H14 class, according to EN1882:2009.
- **Manometers**: differential manometers to control filters clogging.



## TECHNICAL DATA

Code	Overall dimensions mm	Work area dimensions mm	Cleanliness class ISO 14644-1	Air volume (m <sup>3</sup> /h)	Capacity	
	LxPxH	L1xP1xH1			Overall	Shoes
PCZ16	911x595x2600	830x500x1300	ISO4	520	16	16
PCZ20	1123x595x2600	1040x500x1300	ISO4	650	20	20
PCZ24	1335x595x2600	1255x500x1300	ISO4	790	24	24
PCZ28	1547x595x2600	1467x500x1300	ISO4	920	28	28
PCZ32	1795x595x2600	1679x500x1300	ISO4	1050	32	32

# BENCHES WITH SHOE BOXES

## COMPONENTS' DESCRIPTION

- **Frame:** in white powder painted sheet steel or, upon request, stainless steel.
- **Seat:** in white powder painted sheet steel or, upon request, stainless steel.
- **Doors:** in white powder painted sheet steel or, upon request, stainless steel complete with magnetic closure, knob and nameplate.



## TECHNICAL DATA

Code	Overall dimensions mm	Height mm	Compartments no.
	LxP	H	
PPC32	811x450	495	6
PPC62	1352x450	495	12

Other dimensions available upon request.



# SHIRT RACKS

## COMPONENTS' DESCRIPTION

- **Tubular rod:** anodised aluminium profile Ø 30 mm, 2 mm thick.
- **Eyelets:** chrome-plated steel.
- **Joining tubes:** in tube Ø 25 mm, 2 mm thick.
- **Support hangers:** galvanised steel or, on request, stainless steel, threaded bars, coated with an anodised aluminium tubular profile



## TECHNICAL DATA

Code	Overall dimensions mm	Height mm	Eyelets no.
	LxØ	H	
BPC15	1640x30	500 ÷ 1000	15
BPC30	3280x30	500 ÷ 1000	30



CLEAN ROOMS	DEDICATED SYSTEMS	CLEAN ROOM COMPONENTS	SPECIAL EQUIPMENT	PLANT
 MICROELECTRONICS	 PRINTED CIRCUITS	 FALSE CEILINGS	 AIR SHOWERS	 CONDITIONING
 ELECTRONICS	 BOTTLING	 MOTOISED FANS	 TRANSFER HATCHES	 SUCTION
 PHARMACEUTICAL	 HOSPITALS	 WALLS	 CLEAN CABINS	 AIR DUCTING
 HOSPITALS	 PHARMACEUTICAL	 FLOATING FLOORS	 DUST REMOVAL	
 BOTTLING	 FOOD	 CEILING FIXTURES	 CHANGING ROOM FITTINGS	